ELSEVIER

Available online at www.sciencedirect.com

SCIENCE DIRECT®

Aquaculture 240 (2004) 633–636

Aquaculture

www.elsevier.com/locate/aqua-online

Contents of *Aquaculture*, Volume 240

VOL. 240 NOS. 1–4 **27 October 2004**

Diseases

The precision and robustness of published protocols for disc diffusion assays of antimicrobial agent susceptibility: an inter-laboratory study
S. Nic Gabhainn (Galway, Ireland), Ø. Bergh (Bergen, Norway), B. Dixon (Hayward, CA, USA), L. Donachie, J. Carson (Launceston, Tas., Australia), R. Coyne (Bergen, Norway), J. Curtin (Galway, Ireland), I. Dalsgaard (Frederiksberg, Denmark), A. Manfrin (Padua, Italy), G. Maxwell (Moncton, Canada) and P. Smith (Galway, Ireland) 1

Control of saprolegniosis in the eel *Anguilla australis* Richardson, by *Aeromonas media* strain A199
M.J. Lategan (St. Leonards, NSW, Australia), F.R. Torpy (Sydney, NSW, Australia) and L.F. Gibson (St. Leonards, NSW, Australia) 19

Disinfectants against cultured Infectious Salmon Anaemia (ISA) virus: the virucidal effect of three iodophors, chloramine T, chlorine dioxide and peracetic acid/hydrogen peroxide/acetic acid mixture
D.A. Smail, R. Grant, D. Simpson, N. Bain and T.S. Hastings (Scotland, United Kingdom) 29

Perkinsus sp. infestation in carpet-shell clams, *Ruditapes decussatus* (L.), along the Portuguese coast. Results from a 2-year survey
R.B. Leite, R. Afonso and M.L. Cancela (Faro, Portugal) 39

Presence of multiple viruses in non-diseased, cultivated shrimp at harvest
T.W. Flegel, L. Nielsen, V. Thamavit, S. Kongtim (Bangkok, Thailand) and T. Pasharawipas (Pathumthani, Thailand) 55

Disruption of bacterial quorum sensing: an unexplored strategy to fight infections in aquaculture
T. Defoirdt, N. Boon, P. Bossier and W. Verstraete (Gent, Belgium) 69

Detection of tetracycline-resistance determinants by multiplex polymerase chain reaction in *Edwardsiella tarda* isolated from fish farms in Korea
L. Jin Jun, J. Bum Jeong, M.-D. Huh, J.-K. Chung, D.-I. Choi (Busan, South Korea), C.-H. Lee (Cheju, South Korea) and H. Do Jeong (Busan, South Korea) 89

Genetics

Hydrostatic pressure treatment during the first mitosis does not suppress the first cleavage but the second one
X. Zhang and H. Onozato (Matsumoto, Japan) 101

Analysis of immune-relevant genes expressed in red sea bream (*Chrysophrys major*) spleen
S.-L. Chen, M.-Y. Xu (Qingdao, China), S.-N. Hu and L. Li (Beijing, China) 115

Microsatellite analysis in domesticated and wild Atlantic salmon (*Salmo salar* L.): allelic diversity and identification of individuals
Ø. Skaala (Bergen, Norway), B. Høyheim (Oslo, Norway), K. Glover and G. Dahle (Bergen, Norway) 131

Genetic diversity of walking catfish, *Clarias macrocephalus*, in Thailand and evidence of genetic introgression from introduced farmed *C. gariepinus*
U. Na-Nakorn, W. Kamonrat (Bangkok, Thailand) and T. Ngamsiri (Ayuthaya, Thailand) 145

Husbandry and Management

The rearing of common dentex *Dentex dentex* (L.) During the hatchery and on-growing phases
G. Koumoundouros (Patras, Greece), J. Carrillo (Murcia, Spain), P. Divanach and M. Kentouri (Iraklio, Greece) 165
Measuring cultured fish swimming behaviour: first results on rainbow trout using acoustic telemetry in tanks
M.-L. Bégout Anras and J.P. Lagardère (L'Houmeau, France) 175
Can UV-treated seawater cause cataract in juvenile cod (*Gadus morhua* L.)?
B. Björnsson (Reykjavik, Iceland) 187
Agricultural fertilizers as alternative culture media for biomass production of *Chondracanthus squarrulosus* (Rhodophyta, Gigartinales) under semi-controlled conditions
I. Pacheco-Ruíz, J.A. Zertuche-González, E. Arroyo-Ortega and E. Valenzuela-Espinoza (Ensenada Baja California, México) 201
Outdoor phytoplankton continuous culture in a marine fish–phytoplankton–bivalve integrated system: combined effects of dilution rate and ambient conditions on growth rate, biomass and nutrient cycling
S. Lefebvre, I. Probert (Caen cedex, France), C. Lefrançois (Torregrande-Oristano, Italy) and J. Hussenot (L'Houmeau, France) 211
Estimation of the assimilative capacity of fish-farm environments based on the current velocity measured by plaster balls
H. Yokoyama (Nansei, Japan), M. Inoue (Owase, Japan) and K. Abo (Nansei, Japan) 233
The effects of temperature and diet on the survival, growth and food uptake of aquarium-held postpueruli of the rock lobster *Jasus lalandii*
G.G. Dubber, G.M. Branch and L.J. Atkinson (Rondebosch, South Africa) 249
Interactions between bivalve shellfish farms and fishery resources
M.T. Gibbs (Nelson, New Zealand) 267
Influence of sediment characteristics on shrimp physiology: pH as principal effect
H. Lemonnier, E. Bernard, E. Boglio, C. Goarant and J.-C. Cochard (France) 297
Enhancement of rotifer (*Brachionus plicatilis*) growth by using terrestrial lactic acid bacteria
M. Planas, J.A. Vázquez, J. Marqués, R. Pérez-Lomba, M.P. González and M. Murado (Vigo, Spain) 313

Nutrition

Protein requirement of jundia fingerlings, *Rhamdia quelen*, at two dietary energy concentrations
G. Meyer and D.M. Fracalossi (Florianópolis, Brazil) 331
Amino acid-chelate: a better source of Zn, Mn and Cu for rainbow trout, *Oncorhynchus mykiss*
M.J.S. Apines-Amar (Tokyo, Japan; Iloilo, Philippines), S. Satoh (Tokyo, Japan), C.M.A. Caipang (Iloilo, Philippines; Tokyo, Japan), V. Kiron, T. Watanabe and T. Aoki (Tokyo, Japan) 345
Dietary vitamin E requirement, fish performance and carcass composition of rohu (*Labeo rohita*) fry
S.K. Sau, B.N. Paul, K.N. Mohanta and S.N. Mohanty (Orissa, India) 359
Filtration of king scallops (*Pecten maximus*)
I. Laing (Dorset, UK) 369
Lipid absorption in different segments of the gastrointestinal tract of Atlantic salmon (*Salmo salar* L.)
V. Denstadli, A. Vegusdal (Ås, Norway), Å. Krogdahl, A.M. Bakke-McKellep (Ås; Oslo, Norway), G.M. Berge (Ås, Norway), H. Holm (Oslo, Norway), M. Hillestad (Trondheim, Norway) and B. Ruyter (Ås, Norway) 385
Requirement of n-3 long chain polyunsaturated fatty acids for European sea bass (*Dicentrarchus labrax*) juveniles: growth and fatty acid composition
A. Skalli (Granada, España) and J.H. Robin (Plouzané, France) 399
Dietary phytase supplementation and the utilisation of phosphorus by Atlantic salmon (*Salmo salar* L.) fed a canola-meal-based diet
M. Sajjadi and C.G. Carter (Launceston, Tas., Australia) 417

Atlantic salmon, *Salmo salar*, utilizes wax ester-rich oil from *Calanus finmarchicus* effectively
R.E. Olsen (Matredal, Norway), R.J. Henderson (Scotland, UK), J. Sountama (Matredal, Norway), G.-I. Hemre (Bergen, Norway), E. Ringø (Matredal; Tromsø Norway), W. Melle (Bergen, Norway) and D.R. Tocher (Scotland, UK) 433

Physiology and Endocrinology

Induced spawning of hatchery-raised Brazilian catfish, cachara *Pseudoplatystoma fasciatum* (Linnaeus, 1766)
A.F.G. Leonardo (São Paulo, Brazil), E. Romagosa, M.I. Borella and S.R. Batlouni (Brazil). 451
The study on the cytology and histochemistry of lymphoid organ spheroids in *Penaeus chinensis*
M.Y. Shao, Z.F. Zhang (Tsingdao, China), K.H. Kang (Yosu Jeonnam, South Korea), Z.T. Chen (Tsingdao, China) and J.M. Kim (Yosu Jeonnam, South Korea) 463
Gametogenic cycle and variations in oocyte size of *Tapes philippinarum* from the Lagoon of Venice
F. Meneghetti, V. Moschino and L. Da Ros (Venice, Italy) 473
Interactions between ice storage time, collagen composition, gaping and textural properties in farmed salmon muscle harvested at different times of the year
M. Espe (Bergen, Norway), K. Ruohonen (Turku, Finland), M. Bjørnevik (Matredal, Norway), L. Frøyland, R. Nortvedt (Bergen, Norway) and A. Kiessling (Matredal, Norway). 489
Effects of slow release gonadotropin releasing hormone analog on milt characteristics and plasma levels of gonadal steroids in greenback flounder, *Rhombosolea tapirina*
H.K. Lim, N.W. Pankhurst and Q.P. Fitzgibbon (Launceston, Tas., Australia) 505
Temperature effects on early development and occurrence of metamorphosis-related morphological abnormalities in hatchery-reared brown sole *Pseudopleuronectes herzensteini*
M. Aritaki (Miyako, Japan) and T. Seikai (Obama, Japan) 517
Breaking seasonal limitation: year-round sporogenesis in the brown alga *Laminaria saccharina* by blocking the transport of putative sporulation inhibitors
S. Jun Pang (Qingdao, PR China) and K. Lüning (Hafenstrasse, Germany). 531
Metamorphosis in summer flounder: manipulation of rearing salinity to synchronize settling behavior, growth and development
S. Gavlik and J.L. Specker (Narragansett, RI, United States). 543
Effects of photoperiod on sex steroids and gonad maturation in Arctic charr
M. Frantzen, A.M. Arnesen, B. Damsgård, H. Tveiten and H.K. Johnsen (Tromsø, Norway) 561
A simple test to estimate the salinity resistance of fish with specific application to *O. niloticus* and *S. melanotheron*
G. Lemarié (Palavas les Flots, France), J.F. Baroiller (Montpellier Cedex 1, France), F. Clota, J. Lazard (Montpellier Cedex 5, France) and A. Dosdat (Palavas les Flots, France) 575
Reproductive cycle in reared male common Japanese conger, *Conger myriaster*
T. Utoh, A. Okamura, Y. Yamada, S. Tanaka, N. Mikawa, A. Akazawa, N. Horie and H.P. Oka (Aichi, Japan) 589

Short Communications

Acoustic characteristics of two feeding modes used by brown trout (*Salmo trutta*), rainbow trout (*Oncorhynchus mykiss*) and turbot (*Scophthalmus maximus*)
J.P. Lagardère (L'Houmeau, France), R. Mallekh (Sfax, Tunisia) and A. Mariani (Villiers-en-Bois, France) 607
Plasma levels of vitamin D_3 metabolites during parr-smolt transformation of Atlantic salmon *Salmo salar* L.
I. Eide Graff, S.O. Stefansson, L. Aksnes and Ø. Lie (Bergen, Norway). 617

Book Reviews

Large Marine Ecosystems of the World, Trends in Exploitation, Protection, and Research
C.E. Nash (Manchester, WA, USA) 623
The new illustrated guide to fish diseases in ornamental tropical and pond fish—observing, recognising, preventing, treating
O. Haenen (Lelystad, The Netherlands) 625
Bacteria from Fish and Other Aquatic Animals: A Practical Identification Manual
D. Verner-Jeffreys (Dorset, UK) 626

Erratum

Erratum to "Poor bioavailability of oxytetracycline in sharpsnout sea bream *Diplodus puntazzo*" [Aquaculture 235 (2004) 489–497]
G. Rigos (Attiki, Greece; London, UK), A.E. Tyrpenou (Athens, Greece), I. Nengas, M. Alexis (Attiki, Greece), F. Athanassopoulou (Karditsa, Greece) and G.M. Troisi (Middlesex, UK) 629

Corrigendum

Corrigendum to "An RFLP database for authentication of commercial cyst samples of the brine shrimp *Artemia* spp. (International Study on *Artemia* LXX)" [Aquaculture 231 (2004) 93–112]
P. Bossier, W. Xiaomei, F. Catania, S. Dooms (Oostende; Ghent, Belgium), G. Van Stappen (Ghent, Belgium), E. Naessens (Baasrode, Belgium) and P. Sorgeloos (Ghent, Belgium) 631

Contents of *Aquaculture*, Volume 240 633